



When the first Boston Whaler was introduced in 1958, it was a sensation. An accomplishment unlike any other boat on the water. Unsinkable. Indomitable. Unbelievable. And it still is. No other boat has even come close to Whaler's remarkable capabilities in more than 40 years. Which is as amazing as some of the stories that built the Whaler legend.

Like the Whaler that rammed a submerged object and made the 30-mile trip home with a three-foot hole in its hull. The Whaler that still floated after marines peppered it with a thousand rounds of automatic weapons fire in combat testing. And, of course, the original. The foam-filled boat that floated − and could still drive away − even after the company founder cut it in half. The ultimate demonstration of our exclusive Unibond™ construction.

Whalers don't simply stay afloat. They maintain truly level flotation, even when drastically overloaded with gear and people, and swamped to the gunnels with water. Other manufacturers claim that their boats meet level flotation standards, and they may stay above the water when swamped – but only partially. Many will float perpendicularly, with their stern down and just the point of the bow sticking up for passengers to cling to.


You can count on a Whaler. It's stable. Unsinkable. And absolutely dependable. A boat built to prevent trouble. And to handle it easily when the unexpected does happen. That's a comforting thought when your kids jump into a Whaler and head off for a day on the water.

Or if you're chasing big fish in blue water and the weather takes a turn for the worse.

OTHERS

OURS

Unibond construction means a Whaler stays level even when completely filled with water. Other boats' sterns – and engines – can sink when swamped.









Both the Accutrack and Classic hull designs feature reverse chines that redirect spray downward. This results in a dry ride and quicker recovery in rough seas.

We still take a beating about the rough ride of the original Classic in stiff chop, but that hull is capable of things boats twice its size can't handle.

ACCUTRACK, FROM ENGINEERS WITH ONE-TRACK MINDS FOR GREATNESS.

Unsinkability is invaluable, definitely. But what about handling and ride quality? Boston Whaler's history of innovative hull design started with our very first model. The twin sponson design of the original 13' Classic provides superior stability, a shallow draft and optimum performance with minimal horsepower. It handles great, even in a following sea.

Over time, we've expanded our product line to include modified and deep-V hull designs. Still, these hybrids don't stray too far from the attributes afforded by the classic twin sponson design. They maintain

ACCUTRACK

the classic Whaler lateral stability by having small sponson-type reverse chines and full-length running strakes on a deep-V hull. The V cleanly slices through rough water for a smooth ride while the reverse


chines catch the spray generated by the hull and direct it down and away from the boat. Full-length strakes add directional stability while running and static stability at rest and while trolling.

This design, combined with Whaler's exclusive Unibond construction process, is called the

Accutrack System. Compared to other V-hull designs, the Accutrack System is superior. Traditional flared hull shapes may rival its smooth ride, but they are extremely wet-riding boats. Without reverse chines, the spray generated by the hull is blown back into the cockpit. Plus, they lack the lateral stability afforded by the strakes, which will make them more prone to a rolling motion.

While that all may seem like a lot more detail than you'd expect to go into designing a hull, it's what it takes to create a legend. A boat so strong that it's backed by a transferable ten-year limited hull warranty. So safe, you trust it to take good care of your kids when they're out on the water. So tough, it's the work boat you see in practically every harbor in the world. So durable, you'll keep it for decades.

But there's even more to why Whalers are legends and others aren't. Read on.



Flared hull designs (below left) allow water to spray back into the boat. Whaler's reverse chines (below right) direct spray back down for a dryer ride.









7.74

ONE-PIECE MOLDED CONSTRUCTION: This competitive boat pieces lots of parts together – like bow pulpits – with exposed screws and caulked seams where dirt and salt can accumulate. Our one-piece hulls give you a smooth, attractive and easy-to-maintain surface.



TOE RAILS: Few competitors even offer toe rails. But this competitor uses a plastic material that can flex or break and isn't particularly comfortable. Our durable, stainless steel rails give you a reliable hold.





DESIGNED FOR REAL PEOPLE: Some boats cram so much into a confined space that the average person can't fit between the seats. But Whaler designs feature ample room and adjustable seating to accommodate people big and small for easier helm access.





TWO-SIDED HATCHES: The other hatch has a rough finish inside that can encourage mold and keep you smelling fish for ages. We use a two-part, cold pressed molding process that gives you a solid, snug-fitting, easy-to-clean hatch with a gelcoated surface on each side.















HEAVY-DUTY RUB RAILS: Many other boats feature small, poorly positioned rub rails that are more cosmetic than functional. But Whaler's extra-wide rub rails are the type you see on most commercial boats for protection. Colorfast, with a built-in fungicide, they protect your Whaler's hull and its resale value.

HULL SURFACES ARE MOLDED AND GELCOATED INSIDE AND OUT: Look inside hatches and anchor lockers on other boats and you'll see rough surfaces below – and maybe some painted wood. Not Whaler. You'll find finished, gelcoated surfaces for cleanliness and easy maintenance.

GRAB RAILS: Grab rails on competitors' designs are few and far between. Whaler owners are confident about taking their boats into conditions where others won't venture. So we make sure they have plenty of sturdy, well-positioned grab rails to hang on to – strong enough to handle up to 1 1/4 tons of vertical pull. Whaler's corrosion-resistant 316 stainless steel bow rails have molded bases to prevent water intrusion. The other boat's rails can rust from the inside.







Impact (shown with optional swim ladder) comes riaged with Mercury power.

STANDARD FOULPMENT

Deck / Cockpit Self-bailing cockpit sole Bow locker with fiberglass cover and overboard drain Bow eye Stern eyes (2) Lifting eyes (4) 6" cleats (2 stern, 2 bow) 316 stainless steel side rails Gray rub strake Impact Collar System™ Gray graphics Drink holders (5) Garboard drain plug

Console Fiberglass console Stainless steel steering wheel with urethane grip Tachometer Fuel gauge Fire extinguisher pocket Binnacle control Ignition switch Safety switch with lanyard 12-V outlet Instrumentation and electrical switch panel(s) with circuit breaker protection

Seating Aft bench seat with hinged fiberglass lid, snap-on cushion and storage underneath Forward seats (port and starboard) with snap-on cushions

Mechanical Teleflex tilt no-feedback steering Navigation lights Battery box with hold-down strap 14-gallon polyethylene fuel tank 40 ELPTO Mercury® Classic engine Mercury pre-rig Bilge pump with automatic switch



The bow locker with fiberglass cover and drain keeps the anchor and agar out of the way.



Opt for the Comfort Package and stretch out in the sun on the bow

IMPACT


COLLAR

NOTABLE OPTIONS / ACCESSORIES

Telescoping swim ladder 25 ELPT 4-stroke Mercury engine 40 ELPT 4-stroke Mercury engine

Comfort Package (includes the following) Bow cushion Backrest that doubles as bow filler cushion Stern-mounted rod holders (2)

Canvas White sun top White mooring cover



In this unique design, a polyurethane sleeve is filled with closed-cell foam, which provides cushioning on impact and additional flotation. A smaller interior polyurethane bladder, when inflated, functions as a pneumatic shock absorber for additional impact absorption. Even if the smaller bladder is deflated, the collar maintains its shape and functionality. The system is covered with a limited 10-year transferable warranty.

OTHERS

OURS



INFLATED

OTHERS



OURS

DEFLATED

SPECIFICATIONS

- LOA: 11' 6" (3.50 m)

- Weight: 650 lbs (294 kg)
- Bridge Clearance: 2' 10" (.86 m)
- Swamped Cap: 1200 lbs (544 kg)
- Persons Cap: 4



The D-shaped collar and center console free up more usable deck space.



Impact is compact. Making it ideal as a tender that can be easily stowed.



Keep cool with the optional sun top.





The bow locker with fiberglass cover and drain keeps the anchor and gear concealed.



A fiberglass side console with storage, sport steering wheel, side-mount control and tachometer are all standard.



The standard galvanized trailer features a winch with nylon strap, tie-downs and a trailer jack.

he 130 Sport is pure, uncomplicated fun. Slide it off the trailer, start it and go.

Like the first 13' Whaler hull introduced in 1958, the Sport features our exclusive unsinkable Unibond construction and a twin sponson hull for lateral stability and superior performance with minimal horsepower.

It has two bench seats, a fiberglass console, navigation lights and stainless steel side rails. A 6.6-gallon fuel tank and battery box store out of the way, under the helm seat. And the anchor locker forward has a finished interior with a drain so it doesn't trap dirt.

A galvanized EZ Loader trailer is part of the package, as is a 40 ELPTO Mercury Classic, or your choice of an optional, quieter, more fuel-efficient 25 ELPT 4-stroke Mercury or 40 ELPT 4-stroke engine.

The 130 Sport is a lot of boat and a lot of fun. But not a lot of money.

STANDARD EQUIPMENT

Deck / Cockpit

Bow locker with fiberglass cover and overboard drain

Bow and stern lifting eyes

Welded 316 stainless steel side rails

Heavy-duty rub rail

15" interior freeboard

Red graphics

Console
Fiberglass side console with storage
Sport steering wheel
Tachometer
Safety switch
Side-mount Mercury® control
Drink holder

Seating Fiberglass bench seats (2)

Mechanical
Teleflex no-feedback steering system
Navigation lights
Battery box with hold-down strap
6.6-gallon portable fuel tank with
hold-down strap
Mercury pre-rig
40 ELPTO Mercury Classic engine

Galvanized Trailer Trailer jack Tie-downs Winch with nylon strap


NOTABLE OPTIONS / ACCESSORIES


25 ELPT 4-stroke Mercury engine 40 ELPT 4-stroke Mercury engine Bow rail (deletes standard side rails)

Comfort Package (includes the following) Bow cushion Bench seat cushions (2) Bench seat backrest

SPECIFICATIONS

- LOA: 13' 3" (4.03 m
- Beam: 5' 11" (1.80 m)
- Draft: 7" (.17 m
- Weight: 600 lbs (272 kg)
- Bridge Clearance: 2' 7" (.78 m)
- Swamped Cap: 1600 lbs (725 kg
- Persons Cap: 5







Convenient rod holders with cushions serve as backrests for the cooler seat.



A roomy cockpit provides plenty of space for fishing and gear.



Optional sun top with stainless steel fittings.

STANDARD EQUIPMENT

Deck / Cockpit 19" interior freeboard Bow locker with fiberglass cover and overboard drain Bow and stern lifting eyes Bow norman pin Welded 316 stainless steel bow rail and side rails Heavy-duty rub rail Bow chock

Console Stainless steel steering wheel Console-mounted rod holders (6) Electric horn Welded stainless steel grab rail Acrylic windshield Access door Binnacle control Instrumentation and electrical switch panel(s)

with circuit breaker protection

Reversible pilot seat with backrest and 2 vertical rod holders 72-quart cooler seat with cushion and backrests Bow cushion

Teleflex no-feedback steering Navigation lights Battery box with hold-down strap in console

Mercury® pre-rig
Bilge pump with automatic switch
90 ELPTO Mercury engine
6.6-gallon portable fuel tank with hold-down strap
Mounting pad and hold-down strap for second fuel tank

Sun top with boot (red or blue) and stainless steel fittings Gray console cover Gray stern seat cover Gray reversible pilot seat cover



SPECIFICATIONS Specified measurements are approximations and are subject to variance.

• LOA: 16' 7" (5.05 m) • Beam: 6' 2" (1.87 m) • Draft: 9" (.22 m)

• Weight: 950 lbs (430 kg)

Optional removable stern seat aft of the reversible pilot seat.


NOTABLE OPTIONS / ACCESSORIES

Swim platform with hand rail and stainless steel telescoping ladder Striping and graphics (red or blue) 60 ELPT 4-stroke Mercury engine 90 ELPT 4-stroke Mercury engine

Seating Removable stern seat

Mechanical





EATURES



Rod / ski racks fold flush when not in use



The optional cushioned sun lounge for relaxing. Also shown, optional anchor roller.



Optional sun top features stainless steel fittings (available in red or blue).

he easy-to-trailer 160 Dauntless is conveniently compact, yet it boasts ample room for friends, family and gear. Thanks to its center console design, it's a versatile platform for whatever waterborne activity you enjoy. Use it as a fishing boat. A ski boat. Or a party boat.

Select specific options to customize your Dauntless. Choose the optional Fishing Package, Comfort Package or individual features like a ski pylon or sun lounge.

Enjoy the smooth, dry ride afforded by its Accutrack hull and the peace of mind you get from its unsinkable Unibond construction.

STANDARD FOUIPMENT

Deck / Cockpit Self-bailing cockpit sole 19" interior freeboard Welded 316 stainless steel bow rail 6" stainless steel cleats (4) Heavy-duty rub rail Bow and stern lifting eyes Stainless steel telescoping swim ladder Garboard drain plug Bow trolling motor flat Folding under-gunnel rod / ski racks (4) Welded 316 stainless steel side rails (aft) Welded 316 stainless steel transom rails (port and starboard)

Console Stainless steel grab rail

Acrylic windshield Drink holders (2) Fire extinguisher pocket Console access door Stainless steel steering wheel with urethane grip Instrumentation and electrical switch panel(s) with circuit breaker protection

Mechanical

45-gallon polyethylene fuel tank Teleflex tilt no-feedback steering system Navigation lights Mercury® pre-rig 90 ELPTO Mercury engine Electric horn Automatic bilge pump

Seating

Reversible pilot seat with locking backrest and storage Port and starboard aft quarter seats with removable cushions

NOTABLE OPTIONS / ACCESSORIES

Striping and graphics (red or blue) Ski pylon Sun lounge (not compatible with cooler seat option) Anchor roller (not compatible with trolling motor panel) 90 ELPT 4-stroke Mercury engine 115 ELPTO Mercury engine 115 ELPT EFI 4-stroke Mercury engine Livewell in reversible pilot seat

Canvas

Sun top with boot (red or blue) and stainless steel fittings Gray reversible pilot seat cover

Fishing Package (includes the following) Tackle drawers Battery box Console-mounted rod holders (4) Trolling motor panel (not compatible with anchor roller option, deletes standard bow rail) Removable bow light Removable fishing seats (2) 54-quart cooler seat with cushion and backrest (not compatible with sun lounge option) Stainless steel rod holders at transom (2)

Comfort Package (includes the following) Bow cushion 54-quart cooler seat with cushion and backrest (not compatible with sun lounge option)

SPECIFICATIONS


- Beam: 7' 1" (2.15 m)
- Draft: 11" (.27 m)
- Weight: 1500 lbs (680 kg)
- Bridge Clearance: 4' 9" (1.44 m)
- Swamped Cap: 4200 lbs (1905 kg)
- Persons Cap: 6




Optional livewell in reversible pilot seat.



Optional Fishing Package features removable fishing seats and trolling motor panel. (Trolling motor not included. See local dealer.)









Fishing Package Option: Includes a bow pedestal fishing seat, trolling motor panel, cooler seat with backrest and removable bow light. Aft, side rails, stern pedestal fishing seat, console-mounted tackle drawers and extra battery box. (Trolling motor not included. See local dealer.)

STANDARD EQUIPMENT

Deck / Cockpit
Self-bailing cockpit sole
20" interior freeboard
Bow and stern lifting eyes
Welded 316 stainless steel bow rail
8" cleats (2 bow, 2 stern)
Heavy-duty rub rail
Integral swim platform with grab rail
Recessed stainless steel telescoping swim ladder
Garboard drain plug
Bow trolling motor flat
Folding under-gunnel rod / ski racks
(port and starboard)
Stern deck mounted stainless steel rod holders (4)
Full-width casting platform (aft)

Mechanical

60-gallon polyethylene fuel tank
Teleflex no-feedback tilt steering
Navigation lights
Mercury® pre-rig
125 EXLPTO Mercury engine
Electric horn
Automatic bilge pump
Transducer mount area
Livewell on portside of stern deck with fiberglass lid
Battery box

Storage

Bow anchor locker with overboard drain
Battery and oil tank storage under stern deck
Storage in pilot seat base
Storage under stern seat
Lockable console storage

Stainless steel grab rail
Acrylic windshield
Drink holders (2)
Vertical rod holders (4)
Storage bin on console door
Courtesy lights (2)
Fire extinguisher pocket
Compass
Stainless steel steering wheel with urethane grip
Instrumentation and electrical switch panel(s)
with circuit breaker protection

Seating

Console

Reversible pilot seat with locking backrest Full-width stern seat with folding backrest

NOTABLE OPTIONS / ACCESSORIES

Ski pylon
Hydraulic trim tabs
Striping and graphics (red or blue)
Sun lounge (not compatible with cooler seat option)
Anchor roller (not compatible with trolling
motor panel)
135 XL OptiMax™ Mercury engine
150 XL OptiMax Mercury engine
OptiMax Smart Craft deluxe gauge package
Forward side rails (deletes standard bow rail)
Hydraulic tilt steering
Livewell in reversible pilot seat
AM / FM digital stereo with CD player and
waterproof speakers (4)

Canvas

Gray reversible pilot seat cover Sun top with boot (red or blue) and stainless steel fittings

Fishing Package (includes the following)
54-quart cooler seat with cushion and backrest
(not compatible with sun lounge option)
Pedestal fishing seats (2)
Trolling motor panel (not compatible with
anchor roller, deletes standard bow rail)
Removable bow light
Tackle drawers
Aft side rails
Battery box

Comfort Package (includes the following)
54-quart cooler seat with cushion and backrest
(not compatible with sun lounge option)
Bow cushion
Aft side rails

SPECIFICATIONS

- LOA: 18' 6" (5.63 m
- Beam: 8' (2.43 m)
- Draft: 12" (.30 m)
- Weight: 2000 lbs (907 kg)
- Bridge Clearance: 51 (1.52 m)
- Swamped Cap: 4000 lbs (1814 kg)
- Persons Cap: 8




A molded-in port stern livewell is standard.



Standard full-width stern seat / storage box with folding backrest.



Optional blue or red sun top comes with a boot and stainless steel fittings.





The center console features storage space with room for a standard porta potti.



There's additional storage in the bow anchor locker and in the bow storage compartment.



SPECIFICATIONS

Specified measurements are approximations and are subject to variance.

- LOA: 22' 3" (6.78 m)
- Beam: 8' 6" (2.59 m)
- Draft: 12" (.30 m)
- Weight: 2500 lbs (1133 kg)
- Bridge Clearance: 5' 5" (1.65 m) with T-Top: 7' 9" (2.36 m)
- Swamped Cap: 4800 lbs (2177 kg
- Persons Cap:

STANDARD EQUIPMENT

Deck / Cockpit
Self-bailing cockpit sole
20" interior freeboard
Bow and stern lifting eyes
Welded 316 stainless steel bow rail
8" cleats (2 bow, 2 stern, 2 spring line)
Heavy-duty rub rail
Integral swim platform with telescoping ladder
Bow trolling motor flat
Garboard drain plug
Folding under-gunnel rod / ski racks
(port and starboard)
Stern deck mounted stainless steel rod holders (4)
Full-width aft casting platform

Mechanical
90-gallon polyethylene fuel tank
Teleflex hydraulic tilt steering
Navigation lights
Mercury® pre-rig
200 XL OptiMax™ Mercury engine
Electric horn
Automatic bilge pump
Livewell on portside of stern deck
Dual battery boxes and switches, dual battery wiring
3-gallon remote oil tank with deck fill

Storage
Bow anchor locker with overboard drain
Battery under console
Storage in reversible pilot seat base
Oil tank storage under stern deck
Bow storage locker with overboard drain
Lockable console storage

Acrylic windshield
Drink holders (2)
Tip-out storage bin
Courtesy lights (2)
Fire extinguisher pocket
Acrylic door
Porta potti in console
Compass
Stainless steel steering wheel with urethane grip
Instrumentation and electrical switch panel(s)
with circuit breaker protection

Welded stainless steel grab rail

Console

Seating
Reversible pilot seat with locking backrest
Full-width stern seat with folding backrest

NOTABLE OPTIONS / ACCESSORIES

Ski pylon Forward welded 316 stainless steel side rails (deletes bow rail) Striping and graphics (red or blue) Sliding helm and companion pedestal seats with cushions (deletes reversible pilot seat) Hydraulic trim tabs 12-gallon freshwater shower Electronics box for t-top Anchor roller (not compatible with trolling motor panel) 225 XL OptiMax Mercury engine OptiMax Smart Craft deluxe gauge package Livewell in reversible pilot seat Clarion® AM / FM digital stereo with CD player and waterproof speakers (4)

Leaning Post with Cooler (includes the following)
Access to large storage box via hinged top
Stainless steel rod holders (2)
Welded 316 stainless steel grab rail and base
Bait prep area with cutting board and rigging
storage bin under cutting board
94-quart Igloo® cooler
Removable backrest

Comfort Package (includes the following)
72-quart cooler seat with cushion and backrest
Bow cushions
Aft side rails

Fishing Package (includes the following)
Pedestal fishing seats (2)
Trolling motor panel (not compatible with
anchor roller option, deletes standard bow rail)
Aft side rails
Removable bow light
Tackle drawer in console

Console-mounted rod holders (6) (option not compatible with t-top)
72-quart cooler seat with cushion and backrest Extra battery box

Canvas

Sun top with boot (red or blue) and stainless steel fittings
T-top with storage bag (red or blue, not compatible with console-mounted rod holders)
Gray pedestal seat covers (2)
Gray leaning post cover
Gray reversible pilot seat cover




Carry up to six additional rods with the optional Fishing Package.











Bow seating with walk-thru wraparound windshield for better visibility.



Bow storage compartment with cushion,

It's a runabout, ski boat or fishing boat – take your pick. Or pick them all. This sleek dual console model features a tempered glass, walk-thru windshield with a wraparound design that can be closed to keep you comfortable in cooler climates and opened to promote air circulation in the heat of summer.

The bow seating area includes dual jump seats and a cushioned anchor locker for lounging. The helm and companion seats are adjustable and the cushions are removable for cleaning or storage. The port and starboard aft seats feature easily accessible grab rails and recessed drink holders.

Yet despite its sleek appearance, the Ventura's construction is every bit the durable, resilient, unsinkable Unibond construction used to build offshore fishing machines and rescue boats.

STANDARD EQUIPMENT

Deck / Cockpit
Self-bailing cockpit sole
19" interior freeboard
Bow and stern lifting eyes
Welded 316 stainless steel hand rails
6" cleats (2 bow, 2 stern)
Heavy-duty rub rail
Integral swim platform with stainless steel
telescoping ladder
Garboard drain plug
Bow trolling motor flat
Welded 316 stainless steel bow rail
25-quart cooler

Mechanical
45-gallon polyethylene fuel tank
Teleflex tilt no-feedback steering system
Sport style steering wheel
Instrumentation and electrical switch
panel(s) with circuit breaker protection
Navigation lights
Aluminum-framed windshield with
walk-thru center section
Mercury® pre-rig
90 ELPTO Mercury engine
Electric horn
Compass

Automatic bilge pump

Storage
Bow anchor locker with overboard drain
Console glove box (portside)
Battery and oil tank storage under stern deck
Storage under bow seats
Drink holders (4)

Seating
Sliding helm and companion seats
with cushions
Port and starboard forward seats with
cushions and backrest
Aft quarter seats with cushions and backrest
Bow cushion

NOTABLE OPTIONS / ACCESSORIES

Ski pylon Under-gunnel rod / ski racks (4) Striping and graphics (red or blue) 90 ELPT 4-stroke Mercury engine 115 ELPTO Mercury engine 115 ELPT EFI 4-stroke Mercury engine Quarter seat livewell

Fishing Package (includes the following)
Under-gunnel rod / ski racks (4)
Trolling motor panel (deletes standard bow rail)
Removable bow light
Extra battery box
Fishing seat
Forward side rails

Sun top with boot (red or blue) and stainless steel fittings
Weather curtain set: side curtains, visor, aft drop curtain and walk-thru fill-in (red or blue)
Canvas cover package: forward cockpit cover and aft cockpit cover (red or blue)

SPECIFICATIONS

- LOA: 16' 3" (4.95 m
- Beam: 7' 1" (2.15 m)
- Draft: 11" (.27 m)
- Weight: 1550 lbs (703 kg)
- Bridge Clearance: 3' 9" (1.14 m)
- Swamped Cap: 4200 lbs (1905 kg)
- Persons Cap:







The roomy bow offers the comfort of cushioned seats and ample freeboard for a more secure-feeling ride.



The portside built-in cooler with overboard drain provides easy access to refreshments.



The lockable portside glove box is handy for securing smaller items and can house the optional Clarion digital stereo / CD player.

STANDARD EQUIPMENT

Deck / Cockpit
Self-bailing cockpit sole
29" interior freeboard
Bow and stern lifting eyes
Welded 316 stainless steel hand rails
8" cleats (2 bow, 2 stern, 2 spring line)
Heavy-duty rub rail
Integral swim platform with recessed stainless
steel telescoping ladder
Garboard drain plug
Bow trolling motor flat
Courtesy lights
Welded 316 stainless steel forward rails
Livewell with fiberglass lid on portside of stern deck
Aft casting platform

Mechanical
60-gallon polyethylene fuel tank
Teleflex tilt no-feedback steering system
Sport style steering wheel
Instrumentation and electrical switch panel(s)
with circuit breaker protection
Navigation lights
Aluminum-framed windshield with
walk-thru center section
Mercury® pre-rig
125 EXLPTO Mercury engine
Electric horn
Compass
Automatic bilge pump
Transducer mount area

Storage

Bow anchor locker with overboard drain Lockable console glove box (portside) Battery and oil tank storage under stern deck Storage under bow seats Drink holders (7) Cooler in console (portside) Fire extinguisher pocket Aft ski / gear storage

Seating

Sliding helm and companion seats with cushions
Forward seats with cushions and backrest
(port and starboard)
Full-width stern seat
Bow cushion

NOTABLE OPTIONS / ACCESSORIES

Ski pylon
Hydraulic tilt steering
Under-gunnel rod / ski racks (4)
Striping and graphics (red or blue)
135 XL OptiMax™ Mercury engine
150 XL OptiMax Mercury engine
OptiMax Smart Craft deluxe gauge package
Clarion® AM / FM digital stereo with CD player,
waterproof speakers (4) and remote control
Molded fiberglass bow filler with cushion
Welded 316 stainless steel bow rail
(replaces standard forward rails)

Fishing Package (includes the following)
Stainless steel gunnel-mounted rod holders (2)
Stainless steel stern-mounted rod holders (2)
Under-gunnel rod / ski racks (4)
Trolling motor panel (delete forward side rails)
Battery box
Removable bow light
Fishing seats (2)

Canvas

Sun top with boot (red or blue) and stainless steel fittings Weather curtain set: side curtains, visor, aft drop curtain and walk-thru fill-in (red or blue) Canvas cover package: forward cockpit cover and aft cockpit cover (red or blue)

SPECIFICATIONS

- LOA: 18' 6" (5.63 m)
- Beam: 8' (2.43 m)
- Draft: 12" (.30 m
- Weight: 2300 lbs (1043 kg)
- Bridge Clearance: 4' 9" (1.44 m
- Swamped Cap: 3800 lbs (1723 kg)
- Persons Cap:



The folding stern bench affords comfortable seating underway and converts to a sun Jounge.



In the optional Fishing Package with two fishing seats, the folding stern bench can become a sturdy casting platform.



The optional canvas sun top is available in red or blue.





Roomy bow seating becomes a sun pad with the optional filler cushion.



The stern seat folds into the transom to free up cockpit space.



The optional back-to-back companion seat folds down to serve as a sun lounge.

STANDARD EQUIPMENT

Deck / Cockpit Self-bailing cockpit sole 26" interior freeboard Bow and stern lifting eyes Welded 316 stainless steel bow rail 8" cleats (2 bow, 2 stern, 2 spring line) Heavy-duty rub rail Integral swim platform with stainless steel telescoping ladder Garboard drain plug Courtesy lights Livewell with raw-water fill Raw-water washdown Gunnel-mounted stainless steel rod holders (2) Transom door with latch Under-gunnel rod / ski racks (4) In-deck fishbox with drain Anchor roller Stainless steel grab rail Stainless steel toe rails (2) Aluminum-framed windshield with hinged walk-thru section

Mechanical
92-gallon polyurethane fuel tank
Teleflex hydraulic tilt steering
Sport style steering wheel
Instrumentation and electrical switch panel(s)
with circuit breaker protection

Navigation lights
Mercury® pre-rig
200 XL OptiMax™ Mercury engine
Electric horn
Compass
Automatic bilge pump
Transducer mount area
Driver's side windshield wiper
Dual battery trays with switch
3-gallon remote oil tank with deck fill

Head Compartment Light Porta potti with deck pump-out Easy-clean interior materials

Seating
Sliding helm and companion seats with cushions
Forward seats with cushions and backrests
(port and starboard)
Fold-away stern seat
Bow cushion

Storage
Bow anchor locker with overboard drain
Storage under bow seats
Lockable console storage (port and starboard)
Lockable electronics box with removable door
Fire extinguisher pocket
Battery and oil storage
Drink holders (4)

NOTABLE OPTIONS / ACCESSORIES

20-gallon freshwater shower
Striping and graphics (red or blue)
Hydraulic trim tabs
Back-to-back seating (portside)
Porta potti with deck pump-out, macerator and overboard discharge
Ski pylon
Bow filler cushion
225 XL OptiMax Mercury engine
OptiMax Smart Craft deluxe gauge package
Clarion® AM / FM digital stereo with CD player, waterproof speakers (4) and remote control

Fishing Package (includes the following) Cockpit coaming bolsters Extra rod holders (2) Fishbox pump-out

Canvas
Sun top with boot (red or blue) and stainless
steel fittings
Weather curtain set: side curtains, visor, aft drop
curtain and walk-thru fill-in (red or blue)
Canvas cover package: forward cockpit cover and aft
cockpit cover (red or blue)

SPECIFICATIONS

- LOA: 20' 7" (6.27 m)
- Beam: 8' 4" (2.54 m)
- Draft: 15" (.38 m)
- Weight: 3300 lbs (1496 kg)
- Bridge Clearance: 5' 6" (1.67 m)
- Swamped Cap: 5500 lbs (2494 kg)
- Persons Cap: 10



The lockable portside console area with standard porta potti.




Wraparound windshield, generous helm storage area.





The versatile console offers drink holders, vertical rod holders, room for multiple electronic components and lockable storage.



The bow contains a concealed storage / anchor locker with drain and a handy (optional) anchor roller.



The optional Comfort Package includes bow seating cushions and a cushioned cooler seat with backrest, plus aft coaming bolsters.

STANDARD EQUIPMENT

Deck / Cocknit Self-bailing cockpit sole 24" interior freeboard Bow and stern eyes Welded 316 stainless steel forward rails 8" cleats (2 bow, 2 stern with hawse pipes, 2 spring line) Heavy-duty rub rail Fiberglass swim platform with telescoping stainless steel swim ladder Motorwell drains (2) Gunnel-mounted stainless steel rod holders (4) Stainless steel grab rails Stainless steel motorwell rail Stainless steel bow chafe plate Drink holders (6) Stainless steel cockpit toe rails

Console

Stainless steel grab rail
Acrylic windshield
Drink holders (2)
Vertical rod holders (4)
Courtesy lights (2)
Fire extinguisher pocket
Compass
Stainless steel steering wheel
Instrumentation and electrical switch panel(s)
with circuit breaker protection
Electronics mounting surface

Mechanical

Dual battery trays with switch 95-gallon polyethylene fuel tank Automatic bilge pump 3-gallon remote oil tank with deck fill Teleflex hydraulic tilt steering Transducer mount area Navigation lights Electric horn 150 XL EFI Mercury® engine Mercury pre-rig Smart Craft deluxe gauge package

Seating

Seating
Sliding helm and companion pedestal seats with cushions
Port and starboard aft quarter seats with backrest bolsters
Helm and companion footrests
Bow seating area

Storage

Bow anchor locker with drain Console storage with locking door Under-gunnel rod racks In-deck fishboxes with drains (port and starboard) Storage under aft quarter seat

NOTABLE OPTIONS / ACCESSORIES

Hydraulic trim tabs
175 XL OptiMax Mercury engine
200 XL OptiMax Mercury engine
Electronics box for t-top
T-top with storage bag
T-top with storage bag and radial
outriggers and poles
20-gallon freshwater shower
Striping and graphics (red or blue)
Cockpit table
Ski pylon
Folding seat forward of console
(not compatible with sun lounge option,
Fishing or Comfort packages)

Sun lounge with storage (not compatible with folding seat forward of console option, Fishing or Comfort packages)
Clarion* AM / FM digital stereo with CD player and waterproof speakers (4)
Anchor roller
Bow rail (replaces welded 316 stainless

steel forward rails)

Deluxe Leaning Post With Livewell (includes the following)
Fiberglass base
Stainless steel rails
Flip-up thigh-rise helm seat
25-gallon livewell
Tackle storage box
Knife / leader holder

Fishing Package (includes the following)
Fishing station
Aft coaming bolsters
Fishbox pump-out
Raw-water washdown
Tackle drawers
Cooler with cushion and backrest (not compatible with sun lounge option)

Comfort Package
Bow cushions
Cooler with cushion and backrest (not
compatible with sun lounge option)
Aft coaming bolsters

Canvas

Canvas
Sun top with boot (red or blue)
T-top weather curtain set: side curtains and visor (red or blue)
Gray leaning post cover

SPECIFICATIONS

- LOA: 20' 6" (6.24 m)
- Beam: 8' 4" (2.54 m)
- Draft: 15" (.38 m)
- Weight: 2700 lbs (1224 kg)
- Bridge Clearance: 5' 9" (1.75 m) with T-Top: 7' 2" (2.18 m)
- Swamped Cap: 5500 lbs (2494 kg)
- Persons Cap: 10



The comprehensive optional deluxe leaning post includes a fishing station with cutting board, rod holders, built-in tackle drawers and many other conveniences.





Under the cutting board of the optional deluxe leaning post is a recirculating livewell.





Helm seating becomes even more versatile with this optional deluxe leaning post with a bolster-style flip-up thigh-rest.





Storage and enclosed head in console.



Stern seat folds flush to transom for maximum cockpit space.



Optional sun lounge and bow pulpit with roller and windlass.

STANDARD EQUIPMENT

Deck / Cockpit Self-bailing cockpit sole 28" interior freeboard Bow and stern eves Welded 316 stainless steel bow rail 8" cleats (2 bow, 2 spring line, 2 stern with hawse pipes, 1 anchor locker) Heavy-duty rub rail Covered telescoping swim ladder with stainless steel grab rail Gunnel-mounted stainless steel rod holders (4) Bow-mounted stainless steel rod holders (4) Transom-mounted stainless steel rod holders (3) Stainless steel cockpit toe rails Bow anchor roller Aft coaming bolsters Transom door with stainless steel latch 9-gallon freshwater shower (pressurized)

Mechanical
166-gallon fuel tank
Teleflex hydraulic tilt steering system
Navigation lights
Mercury® pre-rig
Automatic bilge pumps (1 forward, 1 aft)
3-gallon remote oil tank(s) with deck fill(s)
225 XXL OptiMax™ Mercury engine
Hydraulic trim tabs
Livewell with light and raw-water fill
Raw-water washdown
Cockpit lighting
Battery trays (2) with switch

Storage
Bow anchor locker with drain
Forward deck storage with drain
Under-gunnel rod racks
Lockable console storage
In-deck fishboxes (2) with pump-out

Console
Acrylic windshield
Stainless steel console grab rail
Stainless steel steering wheel
Instrumentation and electrical switch panel(s)
with circuit breaker protection
Compass
Electric horn
Porta Potti with deck pump-out
OptiMax Smart Craft deluxe gauge package
Electronics box with removable door
Fire extinguisher pocket
Lockable acrylic door

Seating
Sliding helm and companion seats
with cushions
Fold-away stern seat

NOTABLE OPTIONS / ACCESSORIES

T-top (red or blue) with storage bag
T-top (red or blue) with storage bag, radial
outriggers and poles
Electronics box for t-top
135 CXL OptiMax Mercury engines (dual)
150 CXL OptiMax Mercury engines (dual)

Porta potti with deck pump-out and overboard discharge
Bow cushion
Bow pulpit with anchor roller
Bow pulpit with windlass and rode
Folding seat forward of console (not compatible with sun lounge option)
Forward coaming bolsters
Sun lounge (not compatible with forward folding seat)
Striping and graphics (red or blue)
Clarion® AM / FM digital stereo with CD player and waterproof speakers (4)


Leaning Post With Cooler (includes the following)
Access to large storage box via hinged top
Stainless steel rod holders (2)
Welded 316 stainless steel grab rail and base
Bait prep area with cutting board and rigging
storage bin under cutting board
94-quart Igloo® cooler
Removable backrest

Canvas

Sun top with boot (red or blue) and stainless steel fittings T-top weather curtain set: side curtains and visor (red or blue) Gray leaning post cover


SPECIFICATIONS

- LOA: 22' 7" (6.88 m)
- Beam: 8' 6" (2.59 m)
- Draft: 15" (.38 m)
- Weight: 3375 lbs (1530 kg)
- Bridge Clearance: 6' 10" (2.08 m) with T-Top: 8' 2" (2.48 m)
- Swamped Cap: 4900 lbs (2222 kg)
- Persons Cap: 12




Insulated port and starboard in-deck fishboxes store your catch.











Port bow seat conceals lockable rod storage.



OptiMax Smart Craft deluxe gauge package.

STANDARD EQUIPMENT

Deck / Cochpit
Self-bailing cockpit sole
28" interior freeboard
Bow and stern eyes
Welded 316 stainless steel bow rail
8" cleats (2 bow, 2 spring line, 2 stern
with hawse pipes, 1 anchor locker)
Heavy-duty rub rail
Covered telescoping swim ladder with
stainless steel grab rail
Motorwell drains
Gunnel-mounted stainless steel rod holders (4)
Vertical rod holders (4) at forward deck seat
Transom-mounted stainless steel rod holders (3)
Stainless steel cockpit toe rails
Integral bow pulpit with stainless steel
roller assembly
Coaming bolsters
Cockpit shower
Drink holders (4)
Cockpit lighting
Transom door with stainless steel latch

Mechanical
200-gallon fuel tank
Teleflex hydraulic tilt steering system
Navigation lights
Mercury® pre-rig
Battery boxes (2) with switches
Automatic bilge pumps (forward and aft)
3-gallon remote oil tanks with deck fills
200 CXL OptiMax™ Mercury engines (dual)
Hydraulic trim tabs

Livewell with light and raw-water fill Raw-water washdown Electric horn 10-gallon freshwater system (pressurized)

Storage
Bow anchor locker with drain
Forward deck storage / seats (port and starboard)
with drains
Under-gunnel rod racks
In-deck fishboxes with pump-out
Fire extinguisher pocket
Battery and oil storage
Concealed rod racks in forward deck seat (portside)
Lockable console storage
Forward in-deck storage with hatch and drain

Console
Acrylic windshield
Enclosed head / storage area in console with porta
potti and pump-out
Stainless steel steering wheel
Instrumentation and electrical switch panel(s)
with circuit breaker protection
Compass
Electronics box with removable door
Stainless steel grab rail
OptiMax Smart Craft deluxe gauge package

Seating Foldaway stern seat Bow seat cushions Leaning Post With Cooler (includes the following)
Access to storage via hinged seats
Rod holders (2)
Welded 316 stainless steel grab rail and base
Bait prep area with cutting board, rigging storage
bin under cutting board and knife / leader
holder below
94-quart Igloo® cooler
Removable backrest
Fold-down footrest

NOTABLE OPTIONS / ACCESSORIES

Porta potti with pump-out and overboard discharge Marine head with pump-out, holding tank and overboard discharge
Clarion® AM / FM digital stereo with CD player and waterproof speakers (4)
Anchor windlass with rode
T-top (red or blue) with storage bag
T-top (red or blue) with storage bag, radial outriggers and poles
Electronics box for t-top
Sun lounge filler
Shore power with battery charger
225 CXL OptiMax Mercury engines (dual)

Canvas Sun top with boot (red or blue) and stainless steel fittings

T-top weather curtain set: side curtains and visor (red or blue) Gray leaning post cover SPECIFICATIONS


- LOA: 271 1011 (8.48 m)
- Beam: 8' 6" (2.59 m)
- Draft: 15" (.38 m)
- Weight: 4350 lbs (1973 kg
- Bridge Clearance: 7' 1" (2.15 m) with T-Top: 8' 8" (2.64 m)
- Swamped Cap: 7300 lbs (3311 kg)
- Persons Cap: 1



Storage drawers, sink with faucet and optional marine head are located within the console.



Faucet pulls out for freshwater showering.





Folding seat base converts to bolsters.



Shower and VacuFlush head.



Prep station includes two sinks, fresh and raw water, cutting boardand tackle drawers.

STANDARD EQUIPMENT

Deck / Cockpit

Self-bailing cockpit sole
28" interior freeboard
Bow and stern eyes
Welded 316 stainless steel bow rail
8" cleats (2 bow, 2 spring line, 2 stern with
hawse pipes, 1 anchor locker)
Heavy-duty rub rail
Covered telescoping swim ladder with stainless
steel grab rail
Motorwell drains
Stainless steel rod holders (4 gunnel-mount,
3 transom-mount, 2 bow-mount)
Stainless steel cockpit toe rails
Integral bow pulpit with stainless steel
roller assembly
Cockpit coaming bolster
Hard top with electronics box, cockpit floodlights,
dome light and rod holders (4)

Mechanical
149-gallon fuel tanks (2)
Teleflex hydraulic tilt steering system
Navigation lights
Mercury® pre-rig
Automatic bilge pumps (forward and aft)
3-gallon remote oil tanks with deck fills
225 CXL OptiMax™ Mercury engines (dual)
Hydraulic trim tabs
Livewell with light and raw-water fill
Raw-water washdown
Transducer mount areas
Cockpit lighting
Hot and cold pressurized water system
Shore power with battery charger
Anchor windlass with rode
Battery boxes (3) with automatic switch / isolator

Cabin Interior
Opening port windows with screens (2)
Cabin lights
Sliding cabin door
Easy-clean interior materials
Forward single berth with filler to convert to double
Single settee berth
Enclosed head with VacuFlush® head, holding tank,
overboard discharge and dockside pump-out
Carbon monoxide detector
Shower sump pump with cover

Shower sump pump with cover Clarion® AM / FM digital stereo with CD player, waterproof speakers (4) and remote control Teak and holly cabin sole Microwave oven

Console

Aluminum-framed windshield
Stainless steel grab rails (2)
Compass
Electric horn
Windshield wipers (port and starboard)
Stainless steel steering wheel
Instrumentation and electrical switch panel(s)
with circuit breaker protection
Flush surface for mounting electronics
Fire extinguisher pocket
OptiMax Smart Craft deluxe gauge package

Storage
Bow anchor locker with drain
Storage lockers under V-berth
Under-gunnel rod racks
Cabin interior rod racks
In-deck fishboxes (2) with pump-out
Battery and oil storage
Prep station with bait box, sink, tackle boxes, tool
holders and cutting board

Seating

Helm and companion bolster-style seats
Hideaway stern bench seat
Helm and companion footrests
Forward deck seat with removable cushion

NOTABLE OPTIONS / ACCESSORIES

Striping and graphics (red or blue)
Air conditioning
Generator
Inland waterways head system
Radial outriggers and poles (hard-top mounted)

Galley Package (includes the following)
Single-burner stove (butane or electric)
Refrigerator 12V / 110V
Galley sink with hot and cold pressurized water

Canvas

Hard top weather curtain set: side curtains, visor and aft drop curtain (red or blue)

SPECIFICATIONS

- LOA: 30' 8" (9.34 m
- Beam: 10' 4" (3.14 m
- Draft: 20" (.50 m)
- Weight: 7700 lbs (3492 kg)
- Bridge Clearance: 7' 5" (2.26 m)
 with Hard Top: 8' 8" (2.64 m)
- Swamped Cap: 5800 lbs (2630 kg)
- Persons Cap: 14




The forward single berth comes with a filler to convert to a double.



Interior rod rack.



Optional Galley Package features a butane or electric burner, sink with hot and cold pressure water and refrigerator.





The stern area provides a walk-thru transom door with stainless steel latch for quick and easy access to the boarding platform and telescoping stainless steel swim ladder.



The 255 Conquest is built to fish, with a hideaway stern bench seat that folds into the transom to free up space, under-gunnel rod racks above stainless steel toe rails, port and starboard downrigger weight holders, and much more.



Whaler's traditionally straight sheerline is raised at the bow to accommodate a recessed walkaround without compromising cabin space. Here, a sturdy welded stainless steel bow rail aids in secure access to the anchor and bow seating area.

STANDARD EQUIPMENT

Deck / Cockpit Self-bailing cockpit sole 27" interior freeboard Bow and stern lifting eyes Welded 316 stainless steel bow rail 8" cleats (2 bow, 2 spring line, 2 stern, 1 anchor pulpit) Heavy-duty rub rail Covered telescoping stainless steel swim ladder with stainless steel grab rail Motorwell drains Aluminum-framed windshield Gunnel-mounted stainless steel rod holders (2) Stainless steel cockpit toe rails with down rigger weight holder Stainless steel grab rails (5) Integral bow pulpit with stainless steel roller assembly Cockpit shower Stainless steel latches Walk-thru transom Drink holders (3)

Mechanical
150-gallon fuel tank
Teleflex hydraulic tilt steering system
Stainless steel steering wheel
Instrumentation and electrical switch panel(s)
with circuit breaker protection
Navigation lights
Mercury® pre-rig
Dual battery boxes with switch
Automatic bilge pump
3-gallon remote oil tank(s) with deck fill(s)
250 XXL EFI Mercury engine
Compass
Hydraulic trim tabs
Transducer mount area

Electric horn Cockpit lighting Driver's side windshield wiper Pressurized freshwater system Smart Craft gauge package

Cabin Interior
Opening hatch with screen
Opening portholes with screens (2)
Cabin lights (2)
Lockable cabin door
Easy-clean interior materials
Wet bar sink with faucet
Porta potti with deck pump-out
Carbon monoxide detector
Forward berth cushions with backrest

Storage

Bow anchor locker with drain
Bow storage lockers under V-berth
Under-gunnel rod racks
Cabin interior rod racks
In-deck fishboxes with drains (2)
Fire extinguisher pocket
Battery and oil storage
Port and starboard side panel storage in helm area
Storage under portside seat with drain
Cockpit floor storage
Cooler under starboard seat with drain
Port storage locker (aft) with drain
In-deck storage at helm

Seating
Sliding adjustable helm and companion seats
Hideaway stern bench seat
Molded-in helm footrest
Fold-down passenger footrest
Aft-facing seats with cushions and backrest
Bow cushion

NOTABLE OPTIONS / ACCESSORIES

135 CXL OptiMax™ Mercury engines (dual) 150 CXL OptiMax Mercury engines (dual) 115 XL Mercury 4-stroke engines (dual) 200 CXL OptiMax Mercury engines (dual) 225 XXL OptiMax Mercury engine Smart Craft deluxe gauge package Striping and graphics (red or blue) Low profile windlass with rode Hard top with radial outriggers, electronics box, cockpit floodlight, dome light and rod holders (4) Hard top with electronics box and cockpit floodlight, dome light and rod holders (4) Porta potti with deck pump-out, macerator and overboard discharge V-berth table and filler with cushion Clarion® AM / FM digital stereo with CD player, waterproof speakers (4) and remote control VacuFlush® head system Butane stove

Fishing Package (includes the following)
Fishbox pump-outs
Livewell with light and raw-water fill
Raw-water washdown
Tackle drawers (2)
Cockpit coaming bolsters
Additional stainless steel rod holders (3)

Canvas
Sun top with boot (red or blue) and stainless
steel fittings
Weather curtain set: side curtains, visor and aft drop
curtain (red or blue) sun top or hard top
Gray pedestal seat covers (2)

SPECIFICATIONS

- LOA: 26' 11" (8.20 m)
- Beam: 8' 6" (2.59 m)
- Draft: 16" (.40 m)
- Weight: 4900 lbs (2222 kg)
- Bridge Clearance: 7' 3" (2.20 m) with Hard Top: 9' 5" (2.87 m)
- Swamped Cap: 6100 lbs (2766 kg)
- Persons Cap: 14




The roomy cabin, with 5' 9" of headroom, has ample space for an optional V-berth table.



The optional table doubles as a filler that converts the V-berth settee into a double berth.




The oversized anchor locker provides plenty of space for anchor and rode. The low-profile windlass with rode is available as an aption.





Optional prep center features a cutting board, faucet and sink, a rig and tool holder and lots of storage.



Among other features, the optional Cruising Package adds a microwave and single-burner electric stove to the galley.



The enclosed head features a sink, ample storage and porta potti; optional Cruising Package includes VacuFlush head shown here.

STANDARD EQUIPMENT

Deck / Cockpit Self-bailing cockpit sole 27" interior freeboard Bow and stern eves Welded 316 stainless steel bow rail 8" cleats (2 bow, 2 spring line, 2 stern with hawse pipes, 1 anchor locker) Heavy-duty rub rail Covered telescoping swim ladder with stainless steel grab rail Motorwell drains Aluminum-framed windshield Gunnel-mounted stainless steel rod holders (4) Stainless steel cockpit toe rails Stainless steel grab rails (2) Integral bow pulpit with stainless steel roller assembly Cockpit shower Coaming bolsters Removable 54-quart cooler (portside cockpit) with cushion

Mechanical

Drink holders

Walk-thru transom door

96-gallon fuel tanks (2)
Teleflex hydraulic tilt steering system
Stainless steel steering wheel Instrumentation and electrical switch panel(s) with circuit breaker protection Navigation lights Mercury® pre-rig Battery boxes (2) with switches Automatic bilge pumps (aft and forward) 3-gallon remote oil tanks with deck fills 200 CXL OptiMax™ Mercury engines (dual) Compass Hydraulic trim tabs Livewell with light and raw-water fill Raw-water washdown Transducer mount areas Electric horn

Cockpit lighting Windshield wipers (port and starboard) Pressurized freshwater system (cold) Fishbox pump-out Optimax Smart Craft deluxe gauge package

Cabin Interior

Opening forward hatch with screen Opening portholes with screens (2) Porthole with screen in aft cabin Cabin lights Reading lights in forward berth (2) and aft berth (1) Sliding acrylic cabin door
Easy-clean interior materials
Forward dinette / berth with backrest
Head and galley sinks with cold water faucets Carbon monoxide detector Throw pillows Mid double berth Removable carpet 12-V refrigerator Shower sump pump with cover Dinette table V-berth filler cushions Porta potti with dockside pump-out and overboard discharge

Storage

Bow anchor locker with drain Bow storage lockers under V-berth Under-gunnel rod racks Cabin interior rod racks In-deck fishboxes (2) with pump-out Fire extinguisher pocket Battery and oil storage Galley storage Tackle drawers Hanging locker

Sliding adjustable helm seat with cushions Hideaway stern bench seat Helm and companion molded-in footrests Companion bench seat

NOTABLE OPTIONS / ACCESSORIES

Striping and graphics (red or blue) Hard top with radial outriggers, electronics box, cockpit floodlight, dome lights and rod holders (4) Hard top with electronics box, cockpit floodlight, dome light and rod holders (4)
Windlass with rode Clarion® AM / FM digital stereo with CD player, waterproof speakers (4) and remote control Inland waterway head system Butane single-burner stove-225 CXL OptiMax Mercury engines (dual)

Prep Center (includes the following) Cutting board Faucet with sink Rig and tool holder Storage with door

Cruising Package (includes the following) 6-gallon water heater Electric single-burner stove Microwave of Shore power with battery charger VacuFlush® head, holding tank and dockside pump-out with overboard discharge Extra battery box and switch

Canvas

Sun top with boot (red or blue) and stainless steel fittings Weather curtain (red or blue) sun top or hard top that includes side curtains,

visor and aft drop curtain

SPECIFICATIONS

- LOA: 28' 8" (8.73 m)
- Beam: 9' 7" (2.92 m)
- Weight: 6200 lbs (2812 kg)
- Bridge Clearance: 7' (2.13 m) with Hard Top: 8' 9" (2.66 m)
- Swamped Cap: 5600 lbs (2540 kg)
- Persons Cap: 14



The versatile forward berth comes with a filler cushion for sleeping...




offers comfortable seating with backrests...



and converts to a dinette









Forward and aft-facina companion lounge seat.



Enclosed head with storage, sink and shower.

SPECIFICATIONS

Specified measurements are approximations and are subject to variance.

- LOA: 30' 8" (9.34 m)
- Beam: 10' 4" (3.14 m)
- Draft: 20" (.50 m)
- Weight: 8500 lbs (3855 kg)
- Bridge Clearance: 7' (2.13 m) with Hard Top: 8' 9" (2.66 m)
- Swamped Cap: 5800 lbs (2630 kg)
- Persons Cap: 14

STANDARD EQUIPMENT

Deck / Cockpit Self-bailing cockpit sole 28" interior freeboard Bow and stern eves Welded 316 stainless steel bow rail 8" cleats (2 bow, 2 spring line, 2 stern with hawse pipes, 1 anchor locker) Heavy-duty rub rail Covered telescoping swim ladder with stainless steel grab rail Motorwell drains Aluminum-framed windshield Stainless steel rod holders (4 gunnel-mount, 3 transom-mount) Stainless steel cockpit toe rails Stainless steel grab rails (2) Integral bow pulpit with stainless steel roller assembly Cockpit coaming bolsters Cockpit shower Hard top with electronics box and cockpit floodlight, dome light and rod holders (4) Drink holders Walk-thru transom door

Mechanical

148-gallon fuel tanks (2) Teleflex hydraulic tilt steering system Stainless steel steering wheel Instrumentation and electrical switch panel(s) with circuit breaker protection Navigation lights Mercury® pre-rig Battery boxes (3) with switches Automatic bilge pumps aft and forward 3-gallon remote oil tanks with deck fills 225 CXL OptiMax™ Mercury engines (dual)

Compass Hydraulic trim tabs Livewell with light and raw-water fill Raw-water washdown Transducer mount areas Electric horn Cockpit lighting Windshield wipers (port and starboard) Hot and cold pressurized water system Shore power with battery charger Automatic battery switch / isolator OptiMax Smart Craft deluxe gauge package Anchor windlass with rode

Cabin Interior Opening hatch with screen Opening portholes with screens (4) Mid-berth sliding window with screen Cabin lights Reading lights in forward berth (2) and mid-cabin berth (1) Sliding acrylic cabin door Easy-clean interior materials Forward dinette / berth with backrest Head and galley sinks with hot and cold water faucets Enclosed head with VacuFlush® head, holding tank, dockside pump-out and overboard discharge Carbon monoxide detector Throw pillows Mid-berth (double) Refrigerator 12V / 110V Shower sump pump with cover Dinette table / forward berth filler

Clarion AM / FM digital stereo with CD player,

waterproof speakers (4) and remote control

Butane single-burner stove

Teak and holly cabin sole

Microwave

Storage

Bow anchor locker with drain Bow storage lockers under V-berth Under-gunnel rod racks Cabin interior rod racks In-deck fishboxes (2) with pump-out Fire extinguisher pocket Electronics panel at helm Battery and oil storage Galley storage Tackle drawers Storage drawer under helm seat Cedar-lined hanging locker

Sliding adjustable helm seat with cushions Hideaway stern bench seat Helm and companion molded-in footrests Companion bench seat Aft-facing seat (starboard)

NOTABLE OPTIONS / ACCESSORIES

Striping and graphics (red or blue) Radial outriggers and poles (hard-top mounted) Reverse-cycle air conditioning Prep station behind helm seat (deletes aft-facing seat) Inland waterways head system

Cruising Package (includes the following) Generator Electric single-burner stove

Canvas

Weather curtain set: side curtains, visor and aft drop curtain (red or blue) with or without prep station Gray pedestal seat covers (2)



Mid-berth (double) with sliding window and screen.



Convertible dinette / forward berth, galley with microwave, sink, stove and refriaerator.





Pull the plug, fill it with water and over 30 people and it still won't sink. The legend not only continues, it grows.



Unique performance system channels exhaust away from the boat while reducing engine noise and improving fuel efficiency.



Galley unit includes sink, two-burner cook top, full-size refrigerator / freezer and microwave.


he 350 Defiance. The largest of all Boston Whalers, there's nothing else like it. Not even another Whaler. Our patented Duobond® construction makes it the only boat of its size that can stay afloat if it's holed or swamped. And the innovations continue. Like a breakthrough performance exhaust system that keeps the twin diesel inboards fuel-efficient as it channels the exhaust below the water and well away from the boat. And a raised helm deck (patent pending) that slides back electronically to completely expose the engines for ultra-easy access.

This may be the most fishable Whaler yet, with the largest cockpit we've ever designed, providing loads of room and storage for all your gear and tackle. Plus a bait prep station, padded gunnels, a wide transom with door and tons more.

It's also the most luxurious Whaler ever, with fine woods and fabrics in a giant cabin (6' 5" headroom) featuring a fully equipped galley, a dinette that converts to a double berth, head with fully enclosed shower and a comfortable forward berth. Ask for a sea trial. And see why one of the things it defies is comparison.

DUOBOND

For the larger Boston Whaler Defiance, our Duobond construction combines full-length stringers and Nida-Core™ composite structural bulkheads, adding to the strength of our traditional Unibond construction, providing extra toughness, rigidity and unsinkability.



SPECIFICATIONS

Specified measurements are approximations and are subject to variance.

- LOA: 37' 6" (11.43 m
- Hull Length: 34' 6" (10.51 m)
- Beam: 13' 3" (4.03 m)
- Draft: 35" (.88 m)
- Weight: 18,100 lbs (8210 kg)
- Transom Deadrise: 20°
- Fuel: 384 gal (1453 L)
- Water: 72 gal (272 L)
- Cabin Headroom: 6' 5" (1.95 m)
- Berths: 4
- Swamped Cap: 4000 lbs (1814 kg)
- Bridge Clearance: 8' 2" (2.48 m) with Hard Top: 9' 2" (2.79 m)

350 DEFIANCE NOT AVAILABLE AT ALL BOSTON WHALER DEALERS. CALL 1-800-WHALER 9 TO ASK FOR THE DEFIANCE DEALER NEAREST YOU.



Head compartment features an enclosed shower with circular acrylic door, molded countertop, vanity, storage cabinet and electric VacuFlush head.



Cockpit has complete instrumentation, custom switch panel, dual-lever engine controls and port and starboard L-shaped lounge seating.



OPPOSITE PAGE: Luxury surrounds you in this spacious cabin, INSET: The concealed, lighted rod lockers hold up to 6 offshore rods.

RIGHT: The dinette easily converts to a double berth.

FAR RIGHT: The raised pilot deck slides back electronically, exposing the engines for easy access and simplified maintenance.

STANDARD FOULPMENT

Molded fiberglass construction using vinylester resin and foam-filled Duobond® construction Painted boot stripe, Imron® Anti-fouling bottom paint

Deck

Molded fiberglass using vinylester resin, bi-axial stitched fabric reinforcement and Baltec core construction Armorcote® white gelcoat finish Integral molded-fiberglass bow pulpit Anchor / rope locker Windlass with rode Recessed custom stainless steel anchor roller assembly Highly polished stainless steel

12" stainless steel cleats (2 bow, 2 stern) Stainless steel stern hawse pipes 10" stainless steel springline cleats (2)

custom deck rails

Heavy-duty stainless steel windshield with power vent and stainless steel supports

Self-parking windshield wipers (3) with heavy-duty pantograph arms and stainless steel motor covers

Windshield washers (port and starboard) Anchor washdown spigot Welded 316 stainless steel bow rail Reinforcing for hard top or tower 19" by 19" stainless steel deck hatches (2) with screens and shades

Heavy-duty PVC rub rail stainless steel insert

Reinforcing plate installed for mounting fighting chair (aft) Portside icebox fitted with gasketed lid, stainless steel gas spring actuator and hinges 110-V ice maker

Bait prep center (starboard) with sink, rigging board and tackle storage and lid, stainless steel gas spring actuator, hinges and grab rail

Tackle center with drawers (4) Freshwater washdown Raw-water washdown Courtesy lights under gunnels and helm deck

Large-capacity, insulated fishboxes with pump-out system Cockpit bolster pads Under-gunnel rod racks (port and starboard) Gunnel-mounted stainless steel rod holders (6) Self-bailing cockpit scuppers Port and starboard boarding steps Sliding transom door with top gate. heavy-duty polished stainless steel hardware

Drink holders Aft-facing seats with backrests 110-V duplex outlet with

GFI protection in engine room Stainless steel cockpit toe rails Large livewell in transom gunnel with splash guard Fire extinguisher pocket Aft machinery sump access hatch

with gasket

Helm Deck Engine access hatch with gasket and

sound-insulating foam Helm console Adjustable-height helm seat, ladder back style with folding step L-shaped lounges (port and starboard) with steps and storage Sliding companionway door Electric actuated sliding helm deck for full engine access Removable helmsman's box

Helm Console

Courtesy lights

Flush-mounted compass with light Complete engine instrument panel with audible / visual warning system Switch panel with back lighting Dual-lever engine controls Audible bilge water level alarms Hydraulic tilt steering Electronics mounting area Integral step Drink holder Emergency battery parallel switch Stainless steel destroyer steering wheel

Mechanical

12-V automatic / manual bilge pumps (4)

Grounding system with transom zinc plate Stainless steel, double hose clamps on all hose fittings below

waterline Stainless steel, double T-bolt clamps on engine exhaust hoses Engine alarm system

Engine hour meters (2)

and generator

Engine room sound insulation

Freshwater cooling on main engines

Large-capacity fuel filters with water

separators on main engines

6-port bronze fuel tank valves

macerator, overboard and

10-gallon stainless steel water

72-gallon freshwater tank with

Halon fire extinguisher system with

remote discharge pull at dash

deck fill and dockside

city-water connection

Bronze rudders with stainless

Dripless, lip-seal type shaft seals

thru-hulls below waterline

5-kilowatt Westerbeke™

4-blade nibral propellers

(extra set installed)

Fully recessed trim tabs

Eco Sound® underwater

Engine-mounted auxiliary

temperature and oil

370B Cummins diesel engine

Air conditioning (12,000 BTU

Custom AC electrical distribution

panel with line voltage and

reverse polarity light Custom DC electrical distribution

panel with battery voltage

Circuit breaker protection

throughout

(355 hp) with propeller shafts,

Aquamet 19, 1.75" diameter, double

exhaust system

pressure gauges

taper couplers

reverse cycle)

Electrical

Bronze sea cocks fitted on all

Bronze sea-water strainers (3)

diesel generator

steel shafts

32-gallon holding tank with

dockside discharge

heater (120-V)

(2" absorption foam)

Battery paralleling switch, vapor proof Automatic battery isolator with manual switches Heavy-duty 4D batteries (3) 30-amp automatic battery charger 12-V engine room lights Dual air trumpet horn Navigation lights Dual 30-amp shore power with 50-foot cords Clarion® AM / FM stereo and CD player with interior / external speakers and remote control at helm

Main Cabin Recessed halogen lights (4) Dinette reading light Indirect lighting

Stainless steel ports (3) that open with privacy curtains and screens Positive latches used on cabinet doors and drawers

Selection of fine quality fabrics and coverings throughout Throw pillows

GFI protected, 110-V duplex outlet Corian® horizontal surfaces Dinette converts to double berth Horizontal rod cabinet with lights (6 rods)

Wet hanging locker (aft) Access hatch to forward bilge Drawer storage under dinette bases Fiberglass stairway with teak and holly treads

Teak and holly sole Television / VCR

Galley

Two-burner, recessed electric cook top with sliding Corian cover and safety switch Recessed halogen lights (3) Microwave oven with clock Positive latches used on cabinet doors and drawers AC / DC refrigerator with top freezer

Deep, polished stainless steel sink (single) Storage compartments throughout GFI protected, 110-V duplex outlet Corian and granite-coated countertops Trash container

Forward Berth Diagonal double bed (forward)

Indirect lighting

with 5" mattress Cedar-lined hanging locker (portside) Positive latches used on cabinet doors and drawers

Recessed halogen lights (3) Reading light Storage compartments and sliding drawers under berth

GFI protected, 110-V duplex outlet Privacy curtain Indirect lighting

Head Compartment

Corian countertop with stainless steel sink Custom vanity with storage cabinet Sealand VacuFlush® electric head with 32-gallon holding tank 12-V recessed halogen lights Stainless steel port that opens with screen and privacy curtain Positive latches used on cabinet

doors and drawers Enclosed shower with sliding circular acrylic shower door and seat Toiletry storage cabinet

GFI protected, 110-V outlet Water and waste tank level gauge Non-slip ceramic tile floor pattern Hand-held shower head with holder Stainless steel hand rail Large hanging locker

Overboard discharge control with lockout Hanging hooks in shower

Toilet paper holder

Towel ring

Transferable 10-year limited

hull warranty

NOTABLE OPTIONS / ACCESSORIES

European shore power package Swim platform with ladder Clarion AM / FM stereo and CD player with CD changer, power amp, 4 additional speakers and subwoofer Hard top with electronics box 12-V bait freezer Inland waterways head system Tower / hard top ready

Mechanical

Diesel 6-LY2MSTE Yanmar engines (420 hp) (dual) with diesel engine propeller shafts, Aquamet 22, 1.75" diameter, double taper couplers Trolling valves (available with Hynautic® controls only) Engine synchronizer Hynautic controls Oil change pump system Spare propellers (2) with mounting hardware

Canvas

Weather curtain for hard top (black) Aft drop curtain for hard top (black)

SPECIFICATIONS

	LOA (1)	BEAM	DRAFT (2)	WEIGHT (3)	MAX WT CAP (4)	SWAMPED (5)	PERSONS CAP	MAX HP	MIN HP (6)	MAX ENG WEIGHT (7)	TRANSOM HEIGHT	FUEL CAP	BRIDGE CLEARANCE NO TOP / WITH TOP
120 Impact	11' 6" 3.50 m	5' 6" 1.67 m	6" .15 m	650 lbs 294 kg	800 lbs 362 kg	1200 lbs 544 kg	4	40 hp 29 kw	25 hp 18 kw	210 lbs 95 kg	20" .50 m	14 gal 52 L	2' 10" / NA .86 m / NA
130 Sport	13' 3" 4.03 m	5' 11" 1.80 m	7" .17 m	600 lbs 272 kg	935 lbs 424 kg	1600 lbs 725 kg	5	40 hp 29 kw	25 hp 18 kw	210 lbs 95 kg	20" .50 m	6.6 gal 24 L	2' 7" / NA .78 m / NA
170 Montauk	16' 7" 5.05 m	6' 2" 1.87 m	9" .22 m	950 lbs 430 kg	1415 lbs 641 kg	2000 lbs 907 kg	, 7	100 hp 74 kw	35 hp 26 kw	410 lbs 185 kg	.50 m	6.6 gal 24 L	3' 6" / NA 1.06 m / NA
160 Dauntless	16' 3" 4.95 m	7' 1" 2,15 m	11" ,27 m	1500 lbs 680 kg	1700 lbs 771 kg	4200 lbs 1905 kg	6	115 hp 85 kw	50 hp 37 kw	410 lbs 185 kg	20" .50 m	45 gal 170 L	4' 9" / NA 1.44 m / NA
180 Dauntless	18' 6" 5.63 m	8' 2.43 m	12" .30 m	2000 lbs 907 kg	2600 lbs 1179 kg	4000 lbs 1814 kg	8	150 hp 111 kw	125 hp 93 kw	510 lbs 231 kg	25" .63 m	60 gal 227 L	5' / NA 1.52 m / NA
220 Dauntless	22' 3" 6.78 m	8' 6" 2.59 m	12" .30 m	2500 lbs 1133 kg	2950 lbs 1338 kg	4800 lbs 2177 kg	9	225 hp 167 kw	135 hp 100 kw		25" .63 m	90 gal 340 L	5' 5" / 7' 9" 1.65 m / 2.36 m
160 Ventura	16' 3" 4.95 m	7' 1" 2.15 m	11" .27 m	1550 lbs 703 kg	1700 lbs 771 kg	4200 lbs 1905 kg	6	115 hp 85 kw	50 hp 37 kw	410 lbs 185 kg	20" .50 m	45 gal 170 L	3' 9" / NA 1.14 m / NA
180 Ventura	18' 6" 5.63 m	8' 2.43 m	12" .30 m	2300 lbs 1043 kg	2600 lbs 1179 kg	3800 lbs 1723 kg	8	150 hp 111 kw	125 hp 93 kw	510 lbs 231 kg	25" .63 m	60 gal 227 L	4' 9" / NA 1.44 m / NA
210 Ventura	20' 7" 6.27 m	8' 4" 2.54 m	15" .38 m	3300 lbs 1496 kg	3250 lbs 1474 kg	5500 lbs 2494 kg	- 10	250 hp 186 kw	135 hp 100 kw	550 lbs 249 kg	25" .63 m	92 gal 348 L	5' 6"/ NA 1.67 m / NA
210 Outrage	20' 6" 6.24 m	8' 4" 2.54 m	15" .38 m	2700 lbs 1224 kg	3300 lbs 1496 kg	5500 lbs 2494 kg	10	200 hp 149 kw	135 hp 100 kw		25" .63 m	95 gal 359 L	5' 9" / 7' 2" 1.75 m / 2.18 m
230 Outrage	22' 7" 6.88 m	8' 6" 2.59 m	15" .38 m	3375 lbs 1530 kg	3300 lbs 1496 kg	4900 lbs 2222 kg	12	300 hp 223 kw	150 hp 111 kw		25" d / 30" s .63 m / .76 m	166 gal 628 L	6' 10" / 8' 2" 2.08 m / 2.48 m
260 Outrage	27' 10" 8.48 m	8' 6" 2.59 m	15" .38 m	4350 lbs 1973 kg	4300 lbs 1950 kg	7300 lbs 3311 kg	14	450 hp 335 kw	225 hp 167 kw	Λ.	30" .76 m	200 gal 757 L	7' 1" / 8' 8" 2.15 m / 2.64 m
290 Outrage	30' 8" 9.34 m	10' 4" 3.14 m	20" .50 m	7700 lbs 3492 kg	4300 lbs 1950 kg	5800 lbs 2630 kg	14	600 hp 447 kw	300 hp 223 kw		25" d .63 m	298 gal 1128 L	7' 5" / 8' 8" 2.26 m / 2.64 m
255 Conquest	26' 11" 8.20 m	8' 6" 2.59 m	16" .40 m	4900 lbs 2222 kg	4300 lbs 1950 kg	6100 lbs 2766 kg	14	400 hp 298 kw	225 hp 167 kw		25" d / 30" s .63 m / .76 m	150 gal 567 L	7' 3" / 9' 5" 2.20 m / 2.87 m
275 Conquest	28' 8" 8.73 m	9' 7" 2.92 m	18" .45 m	6200 lbs 2812 kg	4300 lbs 1950 kg	5600 lbs 2540 kg	14	500 hp 372 kw	300 hp 223 kw		25" d .63 m	192 gal 726 L	7' / 8' 9" 2.13 m / 2.66 m
295 Conquest	30' 8" 9.34 m	10' 4" 3.14 m	20" .50 m	8500 lbs 3855 kg	4300 lbs 1950 kg	5800 lbs 2630 kg	14	600 hp 447 kw	300 hp 223 kw		25" d .63 m	296 gal 1120 L	7' / 8' 9" 2.13 m / 2.66 m
350 Defiance	37' 6" 11.43 m	13' 3" 4.03 m	35" .88 m	18,100 lbs 8210 kg	4500 lbs 2041 kg	4000 lbs 1814 kg	NA				82	384 gal 1453 L	8' 2" / 9' 2" 2.48 m / 2.79 m

(1) L.O.A. includes bow pulpit and swim platform on integral models only. (2) Draft for outboard models with engine(s) tilted clear of water. May vary slightly depending on load and engine size. (3) Weight is standard dry weight (it does not include the motor) with the exception of the 350 Defiance. (4) BIA and U.S. Coast Guard standards for persons, motor and gear. (5) Total weight (persons, motor and gear) boat will support if filled with water. (6) Minimum horsepower to plane satisfactorily with light load. Consult dealer for engine recommended engine weight may 1] put interior floor scuppers under water, 2] cause the boat to porpoise at mid-throttle and 3] increase time to plane.

Specifications and standard equipment subject to change. Boston Whaler is not responsible for changes to parts or accessories manufactured by companies other than Boston Whaler, BOSTON WHALER, the BOSTON WHALER logo, DAUNTLESS, CONQUEST, OUTRAGE, DEFIANCE and DUOBOND are registered trademarks. UNIBOND, ACCUTRACK, WHALEBOARD, THE UNSINKABLE LEGEND and VENTURA are trademarks of Boston Whaler, Incorporated. Printed in U.S.A.



World Headquarters: 100 Whaler Way, Edgewater, FL 32141. Internet Address: www.whaler.com

For the name and phone number of your local Boston Whaler dealer, call 1-800-WHALER 9. Not all Boston Whaler dealers carry the 350 Defiance. Please specify if you need a 350 Defiance dealer.





© 2001 Boston Whaler, Inc. All rights reserved.